SAFETY DATA SHEET

SX GLASS CLEANER

			Page: 1
		Date:	18.06.2014
		Replaces:	01.02.2013
		Ref:	0173.9.LS/DL
Section 1: Identification of th	e substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name:	SX GLASS CLEANER		
Product code:	Mixture		
1.2. Relevant identified uses	of the substance or mixture and uses advised against		
Use of substance / mixture:	Formulation & (re)packing of substances and mixtures. Consumer	uses:Private	
	households / general public / consumers. Use in cleaning agents.		
1.3. Details of the supplier of	the safety data sheet		
Company name:	Siroflex Limited		
	Dodworth Business Park		
	Dodworth		
	Barnsley		
	South Yorkshire		
	S75 3SP		
Tel:	01226 771600		
Fax:	01226 771601		
Email: info@siroflex.co.uk			
1.4. Emergency telephone nu	mber		
Emergency Tel:	01226 771600 (Office Hours Only)		
Section 2: Hazards identification			

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319

Classification under CHIP: This product has no classification under CHIP.

2.2. Label elements

Label elements under CLP:

Hazard statements: H319: Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P264: Wash Hands thoroughly after handling.

P280: Wear eye protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313: If eye irritation persists: Get medical attention. Label elements under CHIP: Hazard symbols: No significant hazard. Safety phrases: S2: Keep out of the reach of children. S24/25: Avoid contact with skin and eyes. 2.3. Other hazards Other hazards: Although a quantity of a flammable material is present,this preparation is non-

flammable as supplied.

PBT: This substance is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPAN-2-OL

EINECS	CAS	CHIP Classification	CLP Classification	Percent
200-661-7	67-63-0	F: R11; Xi: R36; -: R67	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	10-30%

2-BUTOXYETHANOL

203-905-0	111-76-2	Xn: R20/21/22; Xi: R36/38	Acute Tox. 4: H332; Acute Tox. 4:	1-10%
			H312; Acute Tox. 4: H302; Eye Irrit. 2:	
			H319; Skin Irrit. 2: H315	

Contains: Also contains <0.2% Surfactant.

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye

open. Remove any contact lenses and open eyes wide apart. Get medical attention if

- any discomfort continues
- Ingestion: Wash out mouth with water.
- Inhalation: Not applicable under normal use.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leakside up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Store in orginal packaging.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Page: 4

Hazardous ingredients:

PROPAN-2-OL

Workplace	exposure	limits:
-----------	----------	---------

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-
2-BUTOXYET	HANOL			
UK	25 ppm	50 ppm	-	-

Respirable dust

UK

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid	
Colour:	Pale blue	
Odour:	Perceptible odour	
Evaporation rate:	Negligible	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Soluble	
Also soluble in:	Most organic solvents.	
Boiling point/range°C:	100	Flash point°C: 60 - 93
Relative density:	0.922@24c	

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: No special precautions required.

10.5. Incompatible materials

Materials to avoid: No special precautions required.

10.6. Hazardous decomposition products

Haz. decomp. products: None known.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: Not applicable.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: Not applicable.

12.2. Persistence and degradability

Persistence and degradability: The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation EC/648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

12.4. Mobility in soil

Mobility: The product is intended for wide dispersive use and is compatible with the down-thedrain disposal route.

12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: Consumer products ending up down the drain after use. Observe safe

handling precautions and local legislation.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information:	Non Flammable
Phrases used in s.2 and 3:	H225: Highly flammable liquid and vapour.
	H302: Harmful if swallowed.
	H312: Harmful in contact with skin.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
	H336: May cause drowsiness or dizziness.
	R11: Highly flammable.
	R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.
	R36/38: Irritating to eyes and skin.
	R36: Irritating to eyes.
	R67: Vapours may cause drowsiness and dizziness.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.