

## SAFETY DATA SHEET READY TO USE ALL PURPOSE FILLER (TUBS) 2

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

**Product name** READY TO USE ALL PURPOSE FILLER (TUBS) 2  
**Product No.** 5272  
**REACH Registration number** MIXTURE  
**REACH Registration notes** Registration number is not applicable as this is a mixture.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** FOR USE AS A GENERAL PURPOSE FILLER SU 3 - INDUSTRIAL USES SU 21 - CONSUMER USES SU 22 - PROFESSIONAL USES PC9b - FILLERS, PUTTIES, PLASTERS, MODELLING CLAY.  
**Uses advised against** Not to be used for making casts of body parts, because during setting the product may heat up causing skin burns.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Bartoline limited  
Barmston Close  
Beverley  
East Yorkshire  
HU17 0LW  
01482 678710  
01482 872606  
HSE MANAGER  
www.bartoline.co.uk

**Manufacturer** Bartoline limited  
Barmston Close  
Beverley  
East Yorkshire  
HU17 0LW  
01482 678710  
01482 872606  
HSE MANAGER  
www.bartoline.co.uk

#### 1.4. Emergency telephone number

01482 678727 0800-1700 Monday to Friday  
**National Emergency Telephone Number**  
National Poisons Information Service (24hours) 0844 892 0111

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

**Classification (EC 1272/2008)**

Physical and Chemical Hazards	Not classified.
Human health	Not classified.
Environment	Not classified.

**Classification (1999/45/EEC)** Not classified.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **Human health**

The hazardous properties of the product are considered limited. May cause minor irritation on skin contact. The hazardous properties of the product are considered limited. However, the product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals.

#### **Environment**

The product is not expected to be hazardous to the environment.

**READY TO USE ALL PURPOSE FILLER (TUBS) 2****Physical and Chemical Hazards**

Considering the limited amount applied during use and the size of the container, the risk of adverse effects is considered small.

**2.2. Label elements****Label In Accordance With (EC) No. 1272/2008**

No pictogram required.

**2.3. Other hazards****SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures**

<b>1,2-BENZISOTHIAZOL-3(2H)-ONE</b>		<b>&lt; 1%</b>
<b>CAS-No.: 2634-33-5</b>	<b>EC No.: 220-120-9</b>	
Classification (EC 1272/2008) Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400	Classification (67/548/EEC) Xn;R22 R43 Xi;R38,R41 N;R50	
<b>2-METHYLISOTHIAZOL-3(2H)-ONE</b>		<b>&lt; 1%</b>
<b>CAS-No.: 2682-20-4</b>	<b>EC No.: 220-239-6</b>	
Classification (EC 1272/2008) Acute Tox. 4 - H302 Acute Tox. 3 - H311 Acute Tox. 2 - H330 Skin Corr. 1B - H314 Skin Sens. 1 - H317 STOT SE 3 - H335 Aquatic Acute 1 - H400	Classification (67/548/EEC) T;R23/24. Xn;R22. C;R34. Xi;R37. N;R50. R43.	
<b>ALKYLAMINO ALCOHOL</b>		<b>&lt; 1%</b>
Classification (EC 1272/2008) Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Irrit. 2 - H319 STOT SE 3 - H335	Classification (67/548/EEC) Xn;R22. C;R34. Xi;R36/37.	
<b>SODIUM CARBONATE</b>		<b>&lt; 1%</b>
<b>CAS-No.: 497-19-8</b>	<b>EC No.: 207-838-8</b>	
Classification (EC 1272/2008) Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36	

## READY TO USE ALL PURPOSE FILLER (TUBS) 2

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**REACH Registration number** MIXTURE  
**REACH Registration notes** Registration number is not applicable as this is a mixture.

### Composition Comments

This product is not classified as dangerous according to EC and uk legislation A specially formulated filler containing natural minerals, calcium magnesium carbonate, rheology modifiers organic polymers and in can preservatives.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General information

When breathing is difficult, properly trained personnel may assist affected person by administering 100% oxygen.

#### Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues. Due to the small packaging the risk of inhalation is minimal.

#### Ingestion

Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.

#### Skin contact

Remove contaminated clothing immediately and wash skin with soap and water.

#### Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Inhalation.

No specific symptoms noted.

#### Ingestion

Due to the physical nature of this material it is unlikely that swallowing will occur.

#### Skin contact

Prolonged contact may cause redness, irritation and dry skin.

#### Eye contact

May cause temporary eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials. The product is non-combustible.

#### Unsuitable extinguishing media

None

### 5.2. Special hazards arising from the substance or mixture

#### Hazardous combustion products

No hazardous decomposition products.

#### Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

#### Specific hazards

Not relevant

### 5.3. Advice for firefighters

#### Special Fire Fighting Procedures

Keep run-off water out of sewers and water sources. Dike for water control. Dike and collect extinguishing water. If risk of water pollution occurs, notify appropriate authorities.

## READY TO USE ALL PURPOSE FILLER (TUBS) 2

### Protective equipment for fire-fighters

Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Follow precautions for safe handling described in this safety data sheet. For personal protection, see section 8.

### 6.2. Environmental precautions

Collect and dispose of spillage as indicated in section 13.

### 6.3. Methods and material for containment and cleaning up

Wash contaminated area with water. Scrape up uncured product and place into a container for disposal. Alternatively allow to set hard and scrape up.

### 6.4. Reference to other sections

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Avoid contact with eyes. Avoid inhalation of dust if sanding is required. The use of a disposable dust mask is recommended.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in original container. Avoid storing for very long periods. Protect from freezing and direct sunlight. Store in closed original container at temperatures between 5°C and 25°C.

#### Storage Class

Unspecified storage.

### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

#### Usage Description

Keep out of reach of children. Apply "common sense" measures when using this product. When sanding cured product avoid prolonged inhalation of dust, if it is expected that sanding will be required for long period the use of a dust mask is recommended. See section 8. Where possible avoid prolonged contact with the skin.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
1,2-BENZISOTHIAZOL-3(2H)-ONE	WEL	No std.	No std.	No std.	No std.	
2-METHYLISOTHIAZOL-3(2H)-ONE	WEL	No std.	No std.	No std.	No std.	
CALCIUM MAGNESIUM CARBONATE	WEL	10 ppm				

WEL = Workplace Exposure Limit.

### 8.2. Exposure controls

#### Protective equipment



#### Process conditions

This product is supplied in ready to use tubs and poses very little risk to man or the environment.

#### Engineering measures

Provide sufficient ventilation for operations causing dust formation.

**READY TO USE ALL PURPOSE FILLER (TUBS) 2****Respiratory equipment**

Whilst using the uncured product there no specific recommendation for the use of respiratory protection, however when sanding the cured product it is recommended that a P1 dust mask is worn.

**Hand protection**

For prolonged or repeated skin contact use suitable protective gloves. Nitrile gloves are recommended.

**Eye protection**

If risk of splashing, wear safety goggles or face shield.

**Other Protection**

Wear general workwear

**Hygiene measures**

Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Use appropriate skin cream to prevent drying of skin.

**Skin protection**

Wash hands after use and wash off any filler that comes into contact with skin before it sets.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	Paste
<b>Colour</b>	White / off-white.
<b>Odour</b>	PVA Type
<b>Solubility</b>	Soluble in water.
<b>Initial boiling point and boiling range</b>	100
<b>Melting point (°C)</b>	Not applicable.
<b>Relative density</b>	1.5 - 1.7
<b>Vapour density (air=1)</b>	Not applicable.
<b>Vapour pressure</b>	Not applicable.
<b>Evaporation rate</b>	Not applicable.
<b>pH-Value, Conc. Solution</b>	Water based 7.6 - 8.6
<b>Viscosity</b>	3500 - 4000 (Helipath TF/10)
<b>Decomposition temperature (°C)</b>	100
<b>Odour Threshold, Lower</b>	Not applicable.
<b>Flash point</b>	Not applicable. Not Flammable Water based
<b>Auto Ignition Temperature (°C)</b>	Not applicable. Water based
<b>Flammability Limit - Lower(%)</b>	Not applicable.
<b>Flammability Limit - Upper(%)</b>	Not applicable.
<b>Explosive properties</b>	Not Explosive
<b>Solid/Liquid Ignition On Contact With Air.</b>	No
<b>Aerosol ignition distance</b>	NOT APPLICABLE
<b>Comments</b>	Information declared as "Not available, Not relevant or Not applicable" is not considered justified for enabling proper control measures to be taken.

## READY TO USE ALL PURPOSE FILLER (TUBS) 2

### 9.2. Other information

#### SECTION 10: STABILITY AND REACTIVITY

##### 10.1. Reactivity

There are no known reactivity hazards associated with this product.

##### 10.2. Chemical stability

No particular stability concerns. Stable under normal temperature conditions and recommended use.

##### 10.3. Possibility of hazardous reactions

None under normal processing.

##### **Hazardous Polymerisation**

Will not polymerise.

##### 10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time. Avoid exposure to high temperatures or direct sunlight.

##### 10.5. Incompatible materials

##### **Materials To Avoid**

Strong acids.

##### 10.6. Hazardous decomposition products

No hazardous decomposition products.

#### SECTION 11: TOXICOLOGICAL INFORMATION

##### 11.1. Information on toxicological effects

##### **Toxicological information**

The severity of acute effects is such that significant repeated or prolonged exposure is unlikely. There is no data available for the for the product as a whole or for the varous ingredients. The product has been assessed following the conventional method and is classified for toxilological hazards accordingly. This takes into account, where known, delayed and immedaite effects.

##### Acute toxicity:

##### **Acute Toxicity (Oral LD50)**

> 2000 mg/kg

Estimated Value

Conclusive data but not sufficient for classification.

##### **Acute Toxicity (Dermal LD50)**

Data lacking.

Low toxicity by dermal route.

##### **Acute Toxicity (Inhalation LC50)**

Data lacking.

Low toxicity by the inhalation route.

##### Skin Corrosion/Irritation:

##### **Human Skin Model Test**

Data lacking.

Not irritating. Non Corrosive to skin.

##### Respiratory or skin sensitisation:

##### **Skin sensitisation**

Not applicable.

Not Sensitising.

##### Carcinogenicity:

## READY TO USE ALL PURPOSE FILLER (TUBS) 2

### **Carcinogenicity**

Not applicable.

No known effect based on information supplied.

This product is not classified carcinogenic.

### **Aspiration hazard:**

#### **Viscosity**

Not applicable.

Not relevant, due to the form of the product.

### **General information**

This product has low toxicity. Only large volumes may have adverse impact on human health.

### **Inhalation**

Unlikely to be hazardous by inhalation because of the low vapour pressure of the substance at ambient temperature.

### **Ingestion**

May cause discomfort if swallowed.

### **Skin contact**

Prolonged contact may cause redness, irritation and dry skin.

### **Eye contact**

May cause temporary eye irritation.

### **Health Warnings**

No specific health warnings noted.

### **Target Organs**

Eyes Skin

### **Medical Symptoms**

May cause discomfort if swallowed. Prolonged or repeated exposure may cause: Dry skin.

### **Medical Considerations**

Skin disorders and allergies.

## SECTION 12: ECOLOGICAL INFORMATION

### **Ecotoxicity**

The product is not expected to be hazardous to the environment.

### **12.1. Toxicity**

#### **Acute Fish Toxicity**

The addition of large amounts into watercourses may cause the pH to rise and may therefore be harmful to aquatic life in some circumstances.

#### **Acute Toxicity - Fish**

Not toxic at limit of water solubility. 6.0

**READY TO USE ALL PURPOSE FILLER (TUBS) 2****Ecological information on ingredients.****1,2-BENZISOTHIAZOL-3(2H)-ONE (CAS: 2634-33-5)****Acute Toxicity - Fish**

LC50 96 hours ~ 2.2 mg/l Onchorhynchus mykiss (Rainbow trout)

**EC 50, 48 Hrs, Daphnia, mg/l**

3

**Acute Toxicity - Aquatic Invertebrates**

72 hours

**Acute Toxicity - Aquatic Plants**

EC50 72 hours ~ 0.067 mg/l

**2-METHYLISOTHIAZOL-3(2H)-ONE (CAS: 2682-20-4)****Acute Toxicity - Fish**

NOEC 96 hours ~ 3.06 mg/l Onchorhynchus mykiss (Rainbow trout)

LC50 96 hours ~ 6.0 mg/l Onchorhynchus mykiss (Rainbow trout)

**EC 50, 48 Hrs, Daphnia, mg/l**

1.68

**Acute Toxicity - Aquatic Invertebrates**

NOEC 48 hours ~ 0.882 Daphnia magna

EC50 48 hours ~ 1.68 mg/l Daphnia magna

**Acute Toxicity - Aquatic Plants**

EC50 72 hours ~ 0.157 mg/l Selenastrum capricornutum

**12.2. Persistence and degradability****Degradability**

The product is expected to be biodegradable.

**Ecological information on ingredients.****1,2-BENZISOTHIAZOL-3(2H)-ONE (CAS: 2634-33-5)****Chemical Oxygen Demand**~ 92 g O<sub>2</sub>/g substance**12.3. Bioaccumulative potential****Bioaccumulative potential**

No data available on bioaccumulation.

**12.4. Mobility in soil****Mobility:**

The product contains substances, which are water soluble and may spread in water systems.

**12.5. Results of PBT and vPvB assessment**

This product does not contain any PBT or vPvB substances.

**12.6. Other adverse effects****SECTION 13: DISPOSAL CONSIDERATIONS****General information**

The packaging should be collected for reuse. Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

**13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements. For unused and uncontaminated product, the preferred options include sending to a licensed waste contractor. Used containers can be cleaned with water and either reused or disposed of as non hazardous waste.

**READY TO USE ALL PURPOSE FILLER (TUBS) 2****Waste Class**

When this product, in its liquid state, as supplied, becomes waste, it is categorised as non-hazardous, with code 08 04 10. Part used containers, not drained and/or rigorously scraped out and containing dried residues of the supplied coating are categorised as non-hazardous waste with code 08 04 10. Used containers, drained and/or rigorously scraped out and containing dried residues of the supplied coating are categorised as non-hazardous waste with code 15 01 02. "Rigorously scraped out" means removing the maximum amount of product from the container by physical or mechanical means to leave a residue or contamination that cannot be removed by such means. These codes have been assigned based on the actual composition of the product both as supplied and as dried residues. If mixed with other wastes, the waste codes quoted may not be applicable.

**SECTION 14: TRANSPORT INFORMATION**

<b>General</b>	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).
<b>Road Transport Notes</b>	Not Classified
<b>Rail Transport Notes</b>	Not classified.
<b>Sea Transport Notes</b>	Not classified.
<b>Air Transport Notes</b>	Not classified.

**14.1. UN number****14.2. UN proper shipping name****14.3. Transport hazard class(es)****Transport Labels**

No transport warning sign required.

**14.4. Packing group****14.5. Environmental hazards****14.6. Special precautions for user****14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code****SECTION 15: REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Uk Regulatory References**

Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. Chemicals (Hazard Information & Packaging) Regulations.

**Environmental Listing**

Control of Pollution Act 1974.

**Statutory Instruments**

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Control of Substances Hazardous to Health.

**Approved Code Of Practice**

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

**Guidance Notes**

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

**EU Legislation**

Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

**READY TO USE ALL PURPOSE FILLER (TUBS) 2****National Regulations**

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689. Health and Safety at Work Act (As Amended) 1974 Control of Substances Hazardous to Health Regulations 2002 (as amended) The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007 (CDG 2007). Users of this product are reminded of their duties under the current Control of Substances Hazardous to Health Regulations and a suitable and sufficient assessment of all the risk should be undertaken before using this product. The guidelines given in the HSE publication COSHH ESSENTIALS - Easy Steps To Control Chemicals gives sound advice for deciding safe working control measures.

**Water hazard classification**

WGK 1 Self assessment

**15.2. Chemical Safety Assessment**

No chemical safety assessment has been carried out.

**SECTION 16: OTHER INFORMATION****General information**

When surfaces are to be prepared for painting account must be taken of the age of the property and the possibility that lead may be present. As a working rule you should assume that this will be the case if the age of the property is pre 1960. Where possible wet flattening or chemical stripping methods should be used with surfaces of this type to avoid the formation of lead dust.

**Revision Date** 04/10/2012

**Revision** 12

**Supersedes date** 03/10/2012

**Safety Data Sheet Status** Approved.

**Risk Phrases In Full**

R34	Causes burns.
R22	Harmful if swallowed.
R36/37	Irritating to eyes and respiratory system.
R36	Irritating to eyes.
R37	Irritating to respiratory system.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
NC	Not classified.
R41	Risk of serious damage to eyes.
R23/24	Toxic by inhalation and in contact with skin.
R50	Very toxic to aquatic organisms.

**Hazard Statements In Full**

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H330	Fatal if inhaled.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H311	Toxic in contact with skin.
H400	Very toxic to aquatic life.

**Disclaimer**

The information contained in this data sheet is provided in accordance with the requirements of the Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) The product should not be used for purposes other than those shown in Section 1.2. As the specific conditions of use are outside the suppliers control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet is based on the present knowledge and the current EC and Uk Legislation. It provides guidance on health, safety and environmental aspects of the product and should not be taken as a product specification.